





More Info

Data sheet

K|POT[®] 1/1-passive stainless steel

The handy and stylish catering serving station.

The functionally designed table-top unit in a GN size 1/1 is used for keeping food hot/ cold and for serving preheated, ready-to-eat food with GN thermoplates[®] – for simple catering with the best food quality.

Perfect for keeping food hot or cold without a power supply with GN 1/2 heating/cooling pellets inserted in the bottom of the housing. Configured in combination with the thermoplates® GN cooking pot made of unique SWISS-PLY multi-layer material for the best food quality. The material combines aluminium in the core with conductivity (hot/ cold) 10 times better than pure stainless steel, for significant energy savings in use, with the hygienic advantages of stainless steel.

The GN thermoplates[®] C in a catering design with rounded corners is perfect for an attractive look on the stylish K|POT[®]. The stylish cooking and buffet lids offer the matching GN lid variants for keeping food hot and for hygiene protection when serving. For universal, mobile applications – catering, hotels, restaurants, care sector and school catering as well as domestic use.

+49 7121-518 0 info@rieber.de rieber.systems



TECHNICAL SPECIFICATIONS K|POT® 1/1-passive stainless steel





84 01 20 07



TECHNICAL SPECIFICATIONS

Dimensions	533 x 380 x 95 mm
Material	stainless steel 1.4301 (CNS)
Weight	3,2 kg

Order number

BENEFITS

Housing made of stainless steel with a rustproof, hygienic, high-quality brushed matt finish.

Seamlessly deep-drawn GN pellet recess.

Anti-chafing dish: no burning paste smell, no risk of fire, no heat loss, no water bath, no slip hazard and no hazardous materials.

Can be used anywhere without power, optimal passive energy storage.

Closed substructure and therefore low loss of heat/ cold.

Compatible with GN sizes, a space gain of approx. 30% compared to round containers.

Non-slip due to the silicone feet on the bottom of the housing.

Smooth, easy clean surface.

No individual parts so less cleaning is required.

+49 7121-518 0 info@rieber.de rieber.systems